













- Linam, G.W, K. B. Mayes, K. S. Saunders. 1993. Habitat utilization and population size estimate of fountain darters, *Etheostoma fonticola*, in the Comal River, Texas. Texas Journal of Science 45: 341-348.
- Mundahl, N.D., and C.G. Ingersoll. 1983. Early autumn movements and densities of Johnny (*Etheostoma nigrum*) and fantail (*E. flabellare*) darters in a Southwestern Ohio stream. Ohio Journal of Science 83:103-108.
- Phillips, C. T., and J. N. Fries. 2009. An evaluation of visible implant elastomer for marking the federally listed fountain darter and the San Marcos salamander. North American Journal of Fisheries Management 29:529–532.
- Roberts, J. H., and P. L. Angermeier. 2004. A comparison of injectable fluorescent marks in two genera of darters: effects on survival and retention rates. North American Journal of Fisheries Management 24:1017–1024.
- Roberts, J. H., and P. L. Angermeier. 2007a. Movement responses of stream fishes to introduced corridors of complex cover. Transactions of the American Fisheries Society 136:971–978.
- Roberts, J. H., and P. L. Angermeier. 2007b. Spatiotemporal variability of stream habitat and movement of three species of fish. Oecologia 151:417–430.
- Scalet, C.G. 1973. Stream movements and population density of the orangebelly darter, *Etheostoma radiosum cyanorum* (Osteichthyes: Percidae). Southwestern Naturalist 17:381-387.
- Schaefer, J. F., E. Marsh-Matthews, D. E. Spooner, K. B. Gido, and W. J. Matthews. 2003. Effects of barriers and thermal refugia on local movement of the threatened leopard darter, *Percina pantherina*. Environmental Biology of Fishes 66: 391–400.
- Skyfield J. P., G. D. Grossman 2008. Microhabitat use, movements and abundance of gilt darters (*Percina evides*) in southern Appalachian (USA) streams. Ecology of Freshwater Fish 17: 219–230.
- Weston, M. R., and R. L. Johnson. 2008. Visible implant elastomer as a tool for marking Etheostomine darters (Actinopterygii: Percidae). Southeastern Naturalist 7:159–164.