


Graphs for meeting 1




Individual lures from the Western Shoreline 2004 – 2017 (n = 352). NAs from 2013 surveys are excluded. 38 zero counts.




Individual lures from the Spring Run 3 2004 – 2017 (n = 336). NAs from 2013 surveys are excluded. 41 zero counts.




Individual lures from the Spring Run 3 2004 – 2017 (n = 325). NAs from 2013 surveys are excluded. 80 zero counts.




Individual lures from the Western Shoreline 2004 - 2017 (n = 352). NAs from 2013 surveys are excluded.




Individual lures from the Spring Run 3 2004 - 2017 (n = 336). NAs from 2013 surveys are excluded.




Individual lures from the Spring Island 2004 - 2017 (n = 325). NAs from 2013 surveys are excluded.




Individual lures from the Western Shoreline 2004 – 2017 (n = 352) along with averaged values from each survey (red). NAs from 2013 surveys are excluded.




Individual lures from the Spring Run 3 2004 – 2017 (n = 336) along with averaged values from each survey (red). NAs from 2013 surveys are excluded.




Individual lures from the Spring Island 2004 - 2017 (n = 325) along with averaged values from each survey (red). NAs from 2013 surveys are excluded.




Average CSRB per lure normalized to percent rank among surveys 2007-2017.




Spring Run 3 Average CSRB per lure normalized to percent rank among surveys 2007-2017.




Spring Island Average CSRB per lure normalized to percent rank among surveys 2007-2017.



Rolling mean and median of average count per lure at Western Shoreline. Abline indicates LTBG



Rolling mean and median of average count per lure at SR3. Abline indicates LTBG



Rolling mean and median of average count per lure at SI. Abline indicates LTBG

